

The Icon EDGE is a very compact, feature rich, lightweight, fast beam/spot/wash luminaire. It combines an ultra-bright beam, with sharp gobo projection, a CMY-color mixing system and variable CTO. Fitted with the new Phillips Platinum 21R lamp (470W), Icon EDGE outputs an amazing 20,000 Lumens.

Featuring 2-24 degree zoom in beam mode, 2.5-32 degree in spot mode, 3.5-40 degree in wash mode, eight rotating gobos and 14 fixed, a continuous animation wheel and two prisms, the Icon EDGE has a vast amount of creative options. A newly designed dimming system provides extremely smooth, full field control.



Features:

20,000 lumen output
Extremely narrow ACL beam with zoom
Even spot function

Large zoom range

Full 16bit CMY + incl CTO

14 + Open fixed colour wheel

8 + Open interchangable rotating gobos

Custom glass gobo mode available

14 + Open fixed gobo

Continuous animation wheel


2 Prisms (8 facet, linear 4 facet)

Split colours

Drop in frost

Ultra-fast Pan/Tilt movement

Can be mounted in any orientation



0	10m	20m	30m
Beam	390.000	110.000	55.000lux
Spot	120.000	26.000	16.000lux
Wash	84.000	25.000	10.000lux

Technical Specifications:

Lamp	Philips Platinum 21R	
Colour temperature	7800K	
Lumen output	20,000	
Beam angle (Beam)	2-24°	
Beam angle (Spot)	2.5-32°	
Beam angle (Wash)	3.5-40°	
Focus	adjustable focus	
Frost	drop-in	
Colour wheel	14 + open	
CMY	0-100%/ 16bit	
СТО	0-100%/ 16bit	
Rotating & indexing gobo	8+ open	
Gobo size	OD 16.3mm	
Fixed gobo	14+ open	
Prism	8 facet + lin 4 facet	
Indexing prism	yes	
Animation wheel	continuous	
Indexing animation wheel	yes	
Shutter/Strobe	variable, 13 flash/sec	
Dimmer	0-100%/ 16 bit	
Pan/Tilt	540/270°	
DMX control mode	2 (25, 36 CH)	
RDM	yes	
Art-Net	yes	
Cooling system monitoring	yes	
Wattage	650W	
Power	AC100-240V, 50/60hz	
Operating temperature	-10° to +45°c	
Certification	CE & cETL	
Weight	31kg	
Dimensions LxWxH (mm)	453 x 319 x 709	



GOBO COLOR SHEETS:

