



Bullet Series 2.0 - UV, White Light & Daylight

A range of accessories are available for the Bullet Series including an accessory holder/color frame, barndoor, snoot, and linear spread diffusion. A projection accessory is also available for attachment to the front barrel that allows for projection of steel, glass, and printed gobo images and textures. A range of mounting options are available including a variety of clamps, as well as a table/floor base.

Photometry - White Light Bullet

Pending

Photometry - UV Bullet

NARROW SPOT FOCUS

FIELD ANGLE - 13.3 DEGREES

BEAM ANGLE - 7.4 DEGREES

DISTANCE	5	10	15	20	25
CENTER PEAK INTENSITY (UW/CM2)	1709	427	190	107	68
BEAM DIA. (FT) @ 50% OF CENTER	0.7"	1.3"	2"	2.6"	3.3"
BEAM DIA. (FT) @ 10% OF CENTER	1.2"	2.3"	3.5"	4.7"	5.9"

MAXIMUM FLOOD FOCUS

FIELD ANGLE - 69.2 DEGREES

BEAM ANGLE - 55.4 DEGREES


DISTANCE	5	10	15	20	25
CENTER PEAK INTENSITY (UW/CM2)	33	8	4	2	1
BEAM DIA. (FT) @ 50% OF CENTER	5.2'	10.5'	15.7'	21'	26.2'
BEAM DIA. (FT) @ 10% OF CENTER	6.9'	13.8'	20.7'	27.6'	34.5'

Photometry - Daylight Bullet

Pending

Bullet Series 2.0 - UV, White Light & Daylight

Dimensions



Bullet Part Numbers

Bullet Series 2.0 Single Head Fixture w/o Power Supply

RHA-UVB.H.2110	UV BULLET 365nm, Black, Single Head w/o DMX Power Supply*
RHA-WLB.H.2130	White Light Bullet 3,000K, Black Single Head w/o DMX Power Supply*
RHA-DLB.H.2150	Daylight Bullet 5,000K, Black, Single Head w/o DMX Power Supply*

***NOTE: Bullet Series Power Supply Sold Separately from Fixture Head**

Bullet Series 2.0 Power Supplies

RHA-PSID.S.2100	Power Supply, Indoor, Single Head, Black. ETL Listed and CE Marked
RHA-PSID.T.2100	Power Supply, Indoor, Triple Head, Black. ETL Listed
RHA-PSOD.1.2101	Power Supply, Outdoor, Single Head, Black. ETL Listed and CE Marked
RHA-PSOD.3.2102	Power Supply, Outdoor, Three Head, Black. ETL Listed and CE Marked
RHA-PSOD.6.2103	Power Supply, Outdoor, Six Head, Black. ETL Listed and CE Marked

Bullet Series 2.0 Outdoor Rated 4-Pin XLR Extension Cables

RHA-4XLR.10FT	Cable Assy, 10' Outdoor Rated 4-Pin XLR Extension Cable for Bullets Series
RHA-4XLR.25FT	Cable Assy, 25' Outdoor Rated 4-Pin XLR Extension Cable for Bullets Series
RHA-4XLR.50FT	Cable Assy, 50' Outdoor Rated 4-Pin XLR Extension Cable for Bullets Series

Bullet Series 2.0 Accessories

RHA-BULLET.CFA	Bullet Series Front Accessory Holder and Color Frame, Black
RHA-BULLET.BD	Bullet Series Four-Leaf Barndoor, Black
	NOTE: Barndoor Requires Part Number RHA-BULLET.CFA
RHA-BULLET.SN	Bullet Series Snoot Accessory, Black
RHA-BULLET.LSL	Linear Spread Lens - NOTE: Requires Part Number RHA-BULLET.CFA
RHA-BULLET.BASE	Bullet Floor Mounting Base, Black
RHA-TLS.MINI.CLAMP	Mini-Clamp w/3/8" Bolt for use with 3/8"-1-1/2" Pipe, Black
RHA-TLS.MEGA.CLAMP	C-Clamp with 1/2" Bolt for use with 1"-2" pipe, Black
RHA-BULLET.PROJ.TH.BK	25°-50° Gobo Projection Accessory - NOTE: No Shutters

WWW.PRGRHA.COM

WHITE LIGHT BULLET, UV BULLET, AND DAYLIGHT BULLET ARE REGISTERED TRADEMARKS OF PRODUCTION RESOURCE GROUP, LLC.

©2015 PRODUCTION RESOURCE GROUP, LLC. ALL RIGHTS RESERVED. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

VERSION: OCTOBER 2015